



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
AND CITIES OF THE UNITED STATES (untabulated).**

CONNECTICUT—*Stamford*.—Month of March, 1911. Population, 25,138. Total number of deaths from all causes 68. Cases reported: Diphtheria 6, measles 26, scarlet fever 2, tuberculosis 2, typhoid fever 1.

FLORIDA.—Week ended March 25, 1911. Reports from the State board of health show diphtheria present in 2 localities with 3 cases, smallpox in 11 counties with 79 cases, malaria in 4 localities with 30 cases, tuberculosis in 4 localities with 8 cases, typhoid fever in 4 localities with 5 cases.

IOWA.—Month of February, 1911. Population, 2,224,771. Total number of deaths from all causes 2,088, including diphtheria 24, measles 21, scarlet fever 12, tuberculosis 131, typhoid fever 25.

MARYLAND.—Month of January, 1911. Population, 1,295,346. Total number of deaths from all causes 966, including diphtheria 17, measles 2, scarlet fever 3, tuberculosis 87, typhoid fever 19. Cases reported: Diphtheria 92, measles 135, scarlet fever 91, typhoid fever 73.

NEW JERSEY.—Month ended March 10, 1911. Population, 2,537,167. Total number of deaths from all causes 3,231, including diphtheria 56, measles 36, scarlet fever 23, tuberculosis 400, typhoid fever 27.

NEW YORK—*Rochester*.—Month of February, 1911. Population, 218,149. Total number of deaths from all causes 291, including diphtheria 3, scarlet fever 6, tuberculosis 35, typhoid fever 1. Cases reported: Diphtheria 23, measles 8, scarlet fever 159, tuberculosis, pulmonary, 29, typhoid fever 11.

TEXAS.—Month of January, 1911. Population, 3,896,542. Total number of deaths from all causes 2,514, including diphtheria 36, measles 12, scarlet fever 12, smallpox 4, tuberculosis 294, typhoid fever 52.